



Quality Products. Service Excellence.

Compact Wall Rack *RB-CW Series*

Up to 60 lbs (27 kg) Weight Capacity



Features

- Available in 2U, 4U and 6U mounting heights.
- Includes a single pair of 10-32 threaded rack rails that can be positioned in four locations.
 - Three (3) positions in the front, one (1) position in the rear.
 - Starter pack of **SCREW1032-10** 10-32 rack screws.
- Removable cover panel for ease of equipment installation.
- Wall mount for 16" centers can be mounted with equipment positioned vertical or sideways.
- The rear of the rack includes a cutout for cable entry and lacing points for cable management.

Specifications

- The housing and cover are constructed in 16-gauge steel.
- Mounting rails are constructed in 12-gauge steel.
- 60 lbs (27 kg) **load rating**.
- Finished in sand textured black powder paint.
- TAA-compliant for GSA Schedule purchases.
- RoHS Compliant.
- Manufactured in North America.



RACK BASICS®





| Part No. | Overall Dimensions | | | Rack Units | Mounting Dimensions | | |
|----------|--------------------|-------|-------|------------|---------------------|-------|-------|
| | Height | Width | Depth | | Height | Width | Depth |
| RB-CW2 | 3.55 | 19.36 | 22.00 | 2U | 3.50 | 19.00 | 20.00 |
| RB-CW4 | 7.05 | 19.36 | 22.00 | 4U | 7.00 | 19.00 | 20.00 |
| RB-CW6 | 10.55 | 19.36 | 22.00 | 6U | 10.50 | 19.00 | 20.00 |

Tags: **Compact Sideways Mount Enclosures, Economical Low Profile Wall Rack, Side-Mount Cabinet** *Data subject to change without notice*

© 2022. Hammond Manufacturing Ltd. All rights reserved.

